Wear 209 (1997) 339

Author Index of Volume 209

Ahmed, R., 84
Anabtawi, M.Z., 13

Balan, C., 237
Baoyu, S., 37
Barimani, C., 101
Barrau, J.J., 322
Bhattacharya, A., 134
Bian, S., 171
Borland, D.W., 171

Campos, A., 274
Chaochang, W., 308
Chaudhuri, D.K., 140
Chen, K.Y., 160
Cho, S.-S., 57
Colclough, A.F., 229

Das, S., 255
Dasgupta, R., 255
De Baets, P., 106
Ding, G., 96

Ferrero, J.F., 322
Funkenbusch, P.D., 247

Guo, S.Y., 153

Hadfield, M., 84
Hansali, G., 328
Hedayat, A., 263
Herman, D., 213
Hooke, C.J., 184
Huang, Y., 301

Ibrahim, G.A., 13
Ikeuchi, K., 179

Jha, A.K., 255
Jin, H., 193
Jin, J.C., 193

Karpiński, T., 213
Knotek, O., 101
Kobayashi, S., 128
Koç, E., 184
Komvopoulos, K., 57
Kovacevic, R., 284
Kuhn, E., 237
Kumar, S., 1
Kwaśniak, E., 219

Lahres, M., 241
Lakshmanan, A.N., 140
Laube, B.L., 241
Le Bosse, J.C., 328
Lei, M.K., 301
Li, J., 153
Li, K.Y., 199
Li, W.-L., 292
Lian, J.C., 199
Lin, J.F., 199
Liqin, W., 37
Liu, M.S., 31, 43
Lopez, J., 328
Lugscheider, E., 101

Mao, D.S., 153
Mao, Z.Y., 43, 153
Mathia, T., 328
Modi, O.P., 255
Möller, M., 101
Mori, K., 128

Nabhan, M.B.W., 13

Pasierski, J., 219
Pawlus, P., 69
Pleskachevsky, Yu.M., 123
Plichta, J., 213
Postlethwaite, J., 263
Prabhu, B.S., 115
Prasad, B.K., 255

Qian, M., 308
Qu, J., 96
Quesnel, D.J., 247

Roy, N.N., 1
Rück, D.M., 49

Sakai, M., 193
Schmidt, H., 49
Schminke, A., 49
Seabra, J., 274
Shao, H., 96
Shen, W., 316
Smurugov, V.A., 123
Sottomayor, A., 274
Stupnicki, J., 219
Su, Y.L., 160
Sudheer Kumar Reddy, D., 115
Swarnamani, S., 115

Tarcza, K.R., 21
Tomita, N., 179
Tripathi, A.K., 134
Tu, J.P., 31, 43

Van De Velde, F., 106
Verma, V.K., 134
Viens, D.V., 241

Wang, P., 96, 301
Wang, Q.-H., 316
Weldon, W.F., 21
Weng, C.-I., 292
Wu, C.L., 193

Xie, D., 140
Xu, J., 316
Xue, Q., 8, 316

Yang, Y., 96
Yannacopoulos, S., 263
Yegneswaran, A.H., 255
Yeomans, J.A., 229
Yong, Z., 284
Yoshinaka, K., 179
Yu, Z.W., 301
Yuan, L.J., 301
Yulin, Q., 37

Zhang, J., 8
Zhang, Z., 8
Zhang, Z.L., 301
Zhou, Y., 247
Zimmermann, M., 241

Elsevier Science S.A.

ELSEVIER

Wear 209 (1997) 341–345

WEAR

Subject Index of Volume 209

Abrasion
study of abrasion behavior of an advanced Al_2O_3–TiC–Co ceramic, 153
Abrasion of steel
wear characteristics of a hardfaced steel in slurry, 255
Abrasive wear
impact–abrasion behavior of low alloy white cast irons, 308
Additive
synthesis, structure and lubricating properties of dialkyldithiophosphate-modified Mo–S compound nanoclusters, 8
Adhesion
thermal fluctuations at PTFE friction and transfer, 123
Adulterated strengthening
a study of the inhibitive effect of Mo on the temper softening of bearing surfaces caused by ion implantation, 193
AES
a study in the tribochemistry of alkyldithiobiurets and their Mo–S complexes as EP additives, 134
A glass-crystalline binder
effect of glass-crystalline and amorphous binder application to abrasive tools made of microcrystalline alumina grains type SG, 213
A grinding index
effect of glass-crystalline and amorphous binder application to abrasive tools made of microcrystalline alumina grains type SG, 213
Alumina coatings
the effect of electroless nickel film on the tribological characteristics of alumina coatings, 199
A micro-crystalline abrasive grain of alumina of the SG type
effect of glass-crystalline and amorphous binder application to abrasive tools made of microcrystalline alumina grains type SG, 213
An active surface of a grinding wheel
effect of glass-crystalline and amorphous binder application to abrasive tools made of microcrystalline alumina grains type SG, 213
Anti-wear
studies to evaluate the extreme pressure and anti-wear activity of some thiuram disulphides, xanthogens and dithiocarbamates, 1
ATC ceramic
study of abrasion behavior of an advanced Al_2O_3–TiC–Co ceramic, 153
Auger
investigations of the wear of cubic boron nitride cutting tools using Auger electron spectroscopy and X-ray analysis by EPMA, 241
Auger electron spectroscopy
tribological studies of plasma source ion nitrided low alloy tool steel, 301
Average flow model
modified average Reynolds equation for ultra-thin film gas lubrication considering roughness orientations at arbitrary Knudsen numbers, 292

Backscattering spectrometry
tribological behaviour of ion-implanted Ti6Al4V sliding against polymers, 49
Bearing
a study of the inhibitive effect of Mo on the temper softening of bearing surfaces caused by ion implantation, 193
Bending type
analysis of aerodynamic multileaf foil journal bearings, 115
Bicrystal
effects of grain boundary on deformation due to scratching in α Cu–Al bicrystals having symmetrical $<111>$-tilt boundary, 128

Carbide
the influence of niobium, chromium, molybdenum and carbon on the sliding wear behavior of nickel-base hardfacing alloys, 160
Carbon dioxide
wear and CO_2 corrosion of steel couplings and tubing in heavy oil screw-pump wells, 263
CBN
investigations of the wear of cubic boron nitride cutting tools using Auger electron spectroscopy and X-ray analysis by EPMA, 241
Ceramic coatings
some remarks concerning scuffing of ceramics slid against steel, 219
Ceramic matrix composite
hard particle erosion of silicon carbide and silicon carbide–titanium diboride from room temperature to 1000 °C, 229
Ceramics
hard particle erosion of silicon carbide and silicon carbide–titanium diboride from room temperature to 1000 °C, 229
Chaotic erosion
modeling of jetflow drilling with consideration of the chaotic erosion histories of particles, 284
Coating
study on loading capacity of the coating–substrate system of vapour-deposited TiN and TiC on bearing balls II. Rubbing method in experiments and analysis, 37
erosion resistance of Ni–WC self-fluxing alloy coating at high temperature, 43
laser cladding coating against erosion–corrosion wear and its application to mining machine parts, 96
Contact zone
thermal fluctuations at PTFE friction and transfer, 123
Corrosion
wear and CO_2 corrosion of steel couplings and tubing in heavy oil screw-pump wells, 263
Coupling
wear and CO_2 corrosion of steel couplings and tubing in heavy oil screw-pump wells, 263
Crack propagation
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
Cylinder
change of cylinder surface topography in the initial stage of engine life, 69

Elsevier Science S.A.

Dry friction
study of dry friction under small displacements and near-zero sliding velocity, 322

Elastohydrodynamic
analysis of aerodynamic multileaf foil journal bearings, 115
traction coefficient in a roller–inner ring EHD contact in a jet engine roller bearing, 274
Electroless plating
the effect of electroless nickel film on the tribological characteristics of alumina coatings, 199
Electron probe microanalysis
tribological studies of plasma source ion nitrided low alloy tool steel, 301
Emulsions
analysis of hydrodynamic journal bearings lubricated with a binary water-based lubricant, 13
EP
a study in the tribochemistry of alkyldithiobiurets and their Mo–S complexes as EP additives, 134
Erosion
erosion resistance of Ni–WC self-fluxing alloy coating at high temperature, 43
hard particle erosion of silicon carbide and silicon carbide–titanium diboride from room temperature to 1000 °C, 229
Erosion–corrosion wear
Laser cladding coating against erosion–corrosion wear and its application to mining machine parts, 96
Eutectic carbide
impact–abrasion behavior of low alloy white cast irons, 308
Experimental
an experimental investigation into the design and performance of hydrostatically loaded floating wear plates in gear pumps, 184
Extreme pressure
studies to evaluate the extreme pressure and anti-wear activity of some thiuram disulphides, xanthogens and dithiocarbamates, 1

Failure
study on loading capacity of the coating–substrate system of vapour-deposited TiN and TiC on bearing balls II. Rubbing method in experiments and analysis, 37
Fe_3Al alloys
wet abrasive wear of ordered Fe_3Al alloys, 31
FEA
stress distributions at the abrasive–matrix interface during tool wear in bound abrasive grinding—a finite element analysis, 247
Fine film
thermal fluctuations at PTFE friction and transfer, 123
Finite element method
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
analysis of aerodynamic multileaf foil journal bearings, 115
Floating wear plates
an experimental investigation into the design and performance of hydrostatically loaded floating wear plates in gear pumps, 184
Foil bearing
analysis of aerodynamic multileaf foil journal bearings, 115
Fracture mechanics
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
Fracture toughness
study of abrasion behavior of an advanced Al_2O_3–TiC–Co ceramic, 153
Friction
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
the friction and wear behaviour of polyamide 6 sliding against steel at low velocity under very high contact pressures, 106
a study in the tribochemistry of alkyldithiobiurets and their Mo–S complexes as EP additives, 134
Friction coefficient
studies to evaluate the extreme pressure and anti-wear activity of some thiuram disulphides, xanthogens and dithiocarbamates, 1
Friction energy
experimental procedure for the evaluation of the friction energy of lubricating greases, 237
Friction force
thermal fluctuations at PTFE friction and transfer, 123

Gear pumps
an experimental investigation into the design and performance of hydrostatically loaded floating wear plates in gear pumps, 184
Glancing angle X-ray diffraction
tribological studies of plasma source ion nitrided low alloy tool steel, 301
Gouging
metal gouging at low relative sliding velocities, 21
Grain boundary
effects of grain boundary on deformation due to scratching in α Cu–Al bicrystals having symmetrical $<111>$-tilt boundary, 128
Grease
experimental procedure for the evaluation of the friction energy of lubricating greases, 237
Grinding
stress distributions at the abrasive–matrix interface during tool wear in bound abrasive grinding—a finite element analysis, 247

Hardfacing
the influence of niobium, chromium, molybdenum and carbon on the sliding wear behavior of nickel-base hardfacing alloys, 160
wear characteristics of a hardfaced steel in slurry, 255
Hardness
the influence of stacking fault energy on the wear resistance of nickel base alloys, 140
Hard turning
investigations of the wear of cubic boron nitride cutting tools using Auger electron spectroscopy and X-ray analysis by EPMA, 241
High velocity sliding contact
metal gouging at low relative sliding velocities, 21
Hydrodynamic lubrication
analysis of hydrodynamic journal bearings lubricated with a binary water-based lubricant, 13
Hydrogen attack
wet abrasive wear of ordered Fe_3Al alloys, 31
Hydrostatically loaded
an experimental investigation into the design and performance of hydrostatically loaded floating wear plates in gear pumps, 184
Hypervelocity
metal gouging at low relative sliding velocities, 21

Impact abrasion
impact–abrasion behavior of low alloy white cast irons, 308
Implantation temper
a study of the inhibitive effect of Mo on the temper softening of bearing surfaces caused by ion implantation, 193
Interface
stress distributions at the abrasive–matrix interface during tool wear in bound abrasive grinding—a finite element analysis, 247
Internal grinding
effect of glass-crystalline and amorphous binder application to abrasive tools made of microcrystalline alumina grains type SG, 213
Ion implantation
tribological behaviour of ion-implanted Ti6Al4V sliding against polymers, 49

a study of the inhibitive effect of Mo on the temper softening of bearing surfaces caused by ion implantation, 193

Jetflow drilling
modeling of jetflow drilling with consideration of the chaotic erosion histories of particles, 284
Joint prostheses
tribological behaviour of ion-implanted Ti6Al4V sliding against polymers, 49
Journal bearings
analysis of hydrodynamic journal bearings lubricated with a binary water-based lubricant, 13

Laser cladding
Laser cladding coating against erosion–corrosion wear and its application to mining machine parts, 96
Lateral fracture
hard particle erosion of silicon carbide and silicon carbide–titanium diboride from room temperature to 1000 °C, 229
Light scattering
characterisation of surface roughness by laser light scattering: specularly scattered intensity measurement, 328
Loading capacity
study on loading capacity of the coating–substrate system of vapour-deposited TiN and TiC on bearing balls II. Rubbing method in experiments and analysis, 37
Low alloy tool steel
tribological studies of plasma source ion nitrided low alloy tool steel, 301
Low temperature depostion
PVD coatings for lubricant-free tribological applications, 101
Lubricant
synthesis, structure and lubricating properties of dialkyldithiophosphate-modified Mo–S compound nanoclusters, 8
a study in the tribochemistry of alkyldithiobiurets and their Mo–S complexes as EP additives, 134
Lubricant-free ball bearings
PVD coatings for lubricant-free tribological applications, 101
Lubrication
traction coefficient in a roller–inner ring EHD contact in a jet engine roller bearing, 274

Magnetron sputter ion plating
PVD coatings for lubricant-free tribological applications, 101
Mechanical properties
study of dry friction under small displacements and near-zero sliding velocity, 322
Medical device
low invasive propulsion of medical devices by traction using mucus, 179
Metal cobalt
study of abrasion behavior of an advanced Al_2O_3–TiC–Co ceramic, 153
Misfit angle
effects of grain boundary on deformation due to scratching in α Cu–Al bicrystals having symmetrical $<111>$-tilt boundary, 128
Modelling of wear
change of cylinder surface topography in the initial stage of engine life, 69
Molecular-kinetic processes
thermal fluctuations at PTFE friction and transfer, 123
Molybdenum
the influence of niobium, chromium, molybdenum and carbon on the sliding wear behavior of nickel-base hardfacing alloys, 160
$Mo^+ + N^+$ implantation
a study of the inhibitive effect of Mo on the temper softening of bearing surfaces caused by ion implantation, 193
Morphologies of the wear traces
the effect of nanometer SiC filler on the tribological behavior of PEEK, 316
MoS_2
synthesis, structure and lubricating properties of dialkyldithiophosphate-modified Mo–S compound nanoclusters, 8
Mucus
low invasive propulsion of medical devices by traction using mucus, 179

Nanocluster
synthesis, structure and lubricating properties of dialkyldithiophosphate-modified Mo–S compound nanoclusters, 8
Nanometer SiC filled polyetheretherketone (PEEK) composite
the effect of nanometer SiC filler on the tribological behavior of PEEK, 316
Nickel
the effect of electroless nickel film on the tribological characteristics of alumina coatings, 199
Nickel alloys
the influence of stacking fault energy on the wear resistance of nickel base alloys, 140
Nickel-base alloy
the influence of niobium, chromium, molybdenum and carbon on the sliding wear behavior of nickel-base hardfacing alloys, 160
Niobium
the influence of niobium, chromium, molybdenum and carbon on the sliding wear behavior of nickel-base hardfacing alloys, 160
Non-linear behaviour
study of dry friction under small displacements and near-zero sliding velocity, 322
Non-steady motion
experimental procedure for the evaluation of the friction energy of lubricating greases, 237

Overload
the friction and wear behaviour of polyamide 6 sliding against steel at low velocity under very high contact pressures, 106

Piston skirt
change of cylinder surface topography in the initial stage of engine life, 69
Plasma source ion nitriding
tribological studies of plasma source ion nitrided low alloy tool steel, 301
Polyamide 6
the friction and wear behaviour of polyamide 6 sliding against steel at low velocity under very high contact pressures, 106
PVD-technology
PVD coatings for lubricant-free tribological applications, 101

Quasi-static indentation
hard particle erosion of silicon carbide and silicon carbide–titanium diboride from room temperature to 1000 °C, 229

Railguns
metal gouging at low relative sliding velocities, 21
Rarefied gas lubrication
modified average Reynolds equation for ultra-thin film gas lubrication considering roughness orientations at arbitrary Knudsen numbers, 292
Residual stress
experimental measurement of the residual stress field within thermally sprayed rolling elements, 84
Rheology
experimental procedure for the evaluation of the friction energy of lubricating greases, 237

Rocket sleds
metal gouging at low relative sliding velocities, 21
Roller bearing
traction coefficient in a roller–inner ring EHD contact in a jet engine roller bearing, 274
Rolling contact fatigue
experimental measurement of the residual stress field within thermally sprayed rolling elements, 84
Roughness orientations
modified average Reynolds equation for ultra-thin film gas lubrication considering roughness orientations at arbitrary Knudsen numbers, 292
Roughness parameters
characterisation of surface roughness by laser light scattering: specularly scattered intensity measurement, 328
Rubbing method
study on loading capacity of the coating–substrate system of vapour-deposited TiN and TiC on bearing balls II. Rubbing method in experiments and analysis, 37
Running-in
change of cylinder surface topography in the initial stage of engine life, 69

Scratch hardness
effects of grain boundary on deformation due to scratching in α Cu–Al bicrystals having symmetrical $<111>$-tilt boundary, 128
Scratch width
effects of grain boundary on deformation due to scratching in α Cu–Al bicrystals having symmetrical $<111>$-tilt boundary, 128
Screw-pump oil-well
wear and CO_2 corrosion of steel couplings and tubing in heavy oil screw-pump wells, 263
Scuffing
some remarks concerning scuffing of ceramics slid against steel, 219
Self-lubrication
thermal fluctuations at PTFE friction and transfer, 123
SEM
a study in the tribochemistry of alkyldithiobiurets and their Mo–S complexes as EP additives, 134
investigations of the wear of cubic boron nitride cutting tools using Auger electron spectroscopy and X-ray analysis by EPMA, 241
Simple shearing
experimental procedure for the evaluation of the friction energy of lubricating greases, 237
Sliding friction
study of dry friction under small displacements and near-zero sliding velocity, 322
Sliding wear
the influence of niobium, chromium, molybdenum and carbon on the sliding wear behavior of nickel-base hardfacing alloys, 160
unlubricated sliding wear of steels: towards an alternative wear equation, 171
Slurry abrasion
wear characteristics of a hardfaced steel in slurry, 255
Speed of rotation
wear characteristics of a hardfaced steel in slurry, 255
Spiral ribbed impeller
low invasive propulsion of medical devices by traction using mucus, 179
Stacking fault energy
the influence of stacking fault energy on the wear resistance of nickel base alloys, 140
Static friction
study of dry friction under small displacements and near-zero sliding velocity, 322
Stick–slip
the friction and wear behaviour of polyamide 6 sliding against steel at low velocity under very high contact pressures, 106
Stress
stress distributions at the abrasive–matrix interface during tool wear in bound abrasive grinding—a finite element analysis, 247
Stress intensity factor
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
Subsurface crack mechanisms
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
Surface roughness
characterisation of surface roughness by laser light scattering: specularly scattered intensity measurement, 328
Surface topography
change of cylinder surface topography in the initial stage of engine life, 69
Surface traction
finite element analysis of subsurface crack propagation in a half-space due to a moving asperity contact, 57
Synergism
Laser cladding coating against erosion–corrosion wear and its application to mining machine parts, 96

Tester
study on loading capacity of the coating–substrate system of vapour-deposited TiN and TiC on bearing balls II. Rubbing method in experiments and analysis, 37
Thermal spray coatings
experimental measurement of the residual stress field within thermally sprayed rolling elements, 84
Thiuram disulphides
studies to evaluate the extreme pressure and anti-wear activity of some thiuram disulphides, xanthogens and dithiocarbamates, 1
Titanium
tribological behaviour of ion-implanted Ti6Al4V sliding against polymers, 49
Tool wear
investigations of the wear of cubic boron nitride cutting tools using Auger electron spectroscopy and X-ray analysis by EPMA, 241
Traction drive
low invasive propulsion of medical devices by traction using mucus, 179
Traction evaluation
traction coefficient in a roller–inner ring EHD contact in a jet engine roller bearing, 274
Transfer film
the effect of nanometer SiC filler on the tribological behavior of PEEK, 316
Transfer layer
thermal fluctuations at PTFE friction and transfer, 123
Tribological behavior
the effect of nanometer SiC filler on the tribological behavior of PEEK, 316
Tribological property
tribological studies of plasma source ion nitrided low alloy tool steel, 301
Tribology
metal gouging at low relative sliding velocities, 21
Tubing
wear and CO_2 corrosion of steel couplings and tubing in heavy oil screw-pump wells, 263
Tungsten carbide
erosion resistance of Ni–WC self-fluxing alloy coating at high temperature, 43

Ultra-thin film
modified average Reynolds equation for ultra-thin film gas lubrication considering roughness orientations at arbitrary Knudsen numbers, 292

Water
wet abrasive wear of ordered Fe_3Al alloys, 31
Wear
the friction and wear behaviour of polyamide 6 sliding against steel at low velocity under very high contact pressures, 106
Wear equation
unlubricated sliding wear of steels: towards an alternative wear equation, 171
Wear mechanisms
investigations of the wear of cubic boron nitride cutting tools using Auger electron spectroscopy and X-ray analysis by EPMA, 241
Wear resistance
the influence of stacking fault energy on the wear resistance of nickel base alloys, 140
Wear response
wear characteristics of a hardfaced steel in slurry, 255
Wear scar
studies to evaluate the extreme pressure and anti-wear activity of some thiuram disulphides, xanthogens and dithiocarbamates, 1
White cast iron
impact–abrasion behavior of low alloy white cast irons, 308

Zero-wear
change of cylinder surface topography in the initial stage of engine life, 69